



CLARK

CQ25L

100

CLARK

CLARK
06172 - 95 66 0
www.clark.com



CQ25L

CLARK

CLARK

Clark Material Handling
96172 - 95 66 0
www.clarkmaterialhandling.de



CQ 25L

CLARK

CLARK

05172 - 95 66 0
www.clark-mulder.de

05172 - 95 66 0
www.clark-mulder.de



CQ 25L

MANIAC CQ250

CLARK

CLARK


danmück
müller
Technik-Gesellschaft, Series
Führerschlepper
06172 - 95 66 0
www.danmuck-mueller.de

CLARK
www.clark.com









CLARK CE


YEAR OF BUILD 2012

MODEL CQ23L TIRE CODE S

SERIAL NO. CQ2301178224 CNF

ATTACHMENTS (INTEGR.) SS20111

NOMINAL CAPACITY 2800 kg D 390 mm H 3860 mm



H	D	500	600	700	mm
3860	mm	2300	2130	2000	kg
	mm				kg
4800	mm	2300	2150	2000	kg

CAPACITY Q WITH ATTACHMENTS LISTED ABOVE OR WITH FORKS-UPRIGHT VERTICAL

NOMINAL DRIVE OUTPUT 32 kW

WEIGHT FOR ALL TRUCKS (ELECTRICS LESS BATTERY) 4010 kg

WEIGHT FOR ELECTRICS ONLY WITH MAX. BATTERY WEIGHT kg

BATTERY WEIGHT BATTERY

MAX. kg MIN. kg

AH VOLT

For other capacities consult Clark Material Handling Asia, Changwon, Korea

(ENGLISH 8009974)

Designed by CLARK
Assembled in China



CAPACITIES WITH REMOVABLE

LOAD-HANDLING ATTACHMENT

SERIAL NO. (TRUCK)

C02301-1778-828 ONT

ATTACHMENT

Side Shift

VENDOR

GVNCH-cascade Kubota

TYPE

SS 2011

H	D		
3860 mm	300	500	700 .mm
		8150	2900 kg
			kg
		8150	2000 kg

(ENGLISH) 8023630



CAPACITIES
FOR CENTER LOAD
ONLY

CLARK



LPG
LOW FUEL

009503 H

1/10

