





05A90

M50-4

W5-DM-1020



05450

SIE WERDEN UNTER
GUT FINDEN

M50-4

243872

MAN

www.mahrtaler.de







239 335
11 CN0V14907
MO804E





MANITOU



0 4 3 4 3 6 2



CAPACITE NOMINALE
 RATED CAPACITY
 NENNKAPAZITÄT
 CAPACIDAD NOMINAL
 CAPACITÀ NOMINALE

5000

kg

CAPACITES EFFECTIVES
 ACTUAL CAPACITIES
 EFFEKTIVE KAPAZITÄT
 CAPACIDAD EFECTIVA
 CAPACITÀ EFFETTIVA

SUIVANT NORME EN 1726-1 ANNEXE H

- 1 - Jusqu'à hauteur de levée
 Up to height of
 Bis zur hubhöhe
 Hasta altura de elevación
 Sino ad altezza di sollevamento
- 2 - Pour hauteur maximale de
 For maximum height of
 Für maximale Höhe
 Para altura máxima de
 Per altezza massima di

4000
mm

5500
mm



EQUIPEMENT
 ATTACHMENT
 ZUBEHÖR
 EQUIPO
 ATTREZZATURA

TDLA50N1670
TDLA50N2000

CAPACITES EFFECTIVES
 ACTUAL CAPACITIES
 EFFEKTIVE KAPAZITÄT
 CAPACIDAD EFECTIVA
 CAPACITÀ EFFETTIVA





MANITOU 44158 ANCENIS
CEDEX FRANCE

TYP

M 50-4

Seriennummer

243872

Fz Ident. Nr.

1243872

Tragkraft

5000 kg

Leistung nach ISO/TR14396

61,5 kW

Reifendruck (Bar)

Vorn Hinten

4,5 / 3,2

SERIE

3-E2

CE

Baujahr

2007

Zul. Gesamtgew

daN

Zul. Achslast vorn

daN

Zul. Achslast hinten

daN

Zugkraft

11400 daN

Maximale Zugkraft
(am Schlepphaken)

1500 daN

240797