



CLARK

C50s

CLARK

MANITOU

MRT 2520

MANITOU

C50s

CLARK







CLARK

GEWISSER VERLEIH
06172 - 95 46 0
www.gewisser-verleih.de

C50s

CLARK

MANI

MRT 2015



Orange and red safety lights

Orange and red safety lights

MANITOU

WASHER, PRE-CLEANER
WITH ELECTRIC MOTOR
FOR WASHING
WHEELS AND TIRE
CLEANING

조리크리너, 린척기
전기모터 장착
휠세척용
타이어세척용
세척기

Vertical text on the black cylindrical structure





CLARK







DEUTZ

ROCKET
WARNING
24V 40C 4300Ah
200Ah

WARNING
24V 40C 4300Ah
200Ah

CLARK

F 27/AUG/14[WED] H

PM 09:26

2 HR

C50sD-T4

N
OP AT



Control panel with buttons: (P), wheelchair, M, E, left arrow, right arrow, +, -

TRAGFÄHIGKEITEN

MIT ABNEHMBAAREN ANBAUGERÄTEN

SERIEN-NR. (STAPLER)

P455D - 00061 - 3913 RF

ANBAUGERÄT

Side Shift


LIEFERANT

CMH A

TYP

SS 35101

H	D				
3300 mm	500	600	700	mm	
4000 mm	4590	4150	3700	kg	
4500 mm	4890	4150	3700	kg	
	4450	4150	3700	kg	



(GERMAN) 8023629

TRAGFÄHIGKEITEN
GELTEN FÜR MITTIGE
LASTAUFNAHME


CELRK



CLARK CE

BAUJAHR 2014

MODELL	C50SD	REIFEN CODE	S
SERIEN-NR.	P455D-0061-9913 KF		
ANBAUGERÄTE (INTEGR.)	NONE		



	D 500 mm	D 600 mm	D 700 mm
H 3300 mm	Q 3000 kg	Q 4500 kg	Q 4000 kg
H 4000 mm	Q 3000 kg	Q 4500 kg	Q 4000 kg
H 4500 mm	Q 4850 kg	Q 4500 kg	Q 4000 kg

TRAGFÄHIGKEIT Q MIT
OBEN ANGEGEBENEN
ANBAUGERÄTEN ODER
GABELZINKEN MIT
VERTIKALEM HUBGERÜST

BATTERIE GEWICHT
BATTERIE

NENNANTRIEBSLEISTUNG

68,6 kW

GEWICHT FÜR ALLE FAHRZEUGE
(BEI ELEKTRO OHNE BATTERIE)

7406 kg

GEWICHT FÜR ELEKTROFAHRZEUGE
MIT MAX. BATTERIE GEWICHT

kg

MAX. kg MIN.

VOLT

kg

MADE BY CLARK

ANDERE TRAGFÄHIGKEITEN ERFRAGEN BEI CLARK MATERIAL HANDLING ASIA

(DEUTSCH 8103481)

CLARK MATERIAL HANDLING ASIA, #40-1, UNGNAMDONG, CHANGWON, GYEONGNAM KOREA.
Autorisierter Repräsentant: Clark Europe GmbH, Neckarstrasse 37, 45178 Mulheim an der Ruhr/Germany

