



MS140SH

MANITOU



MS140H

MANITOU



MSI40H

MANITOU



MANITOU

MSI40H

A close-up photograph of the side of a red Manitou forklift. The image shows the rear section of the machine, including the operator's cab with a large window and a side mirror. The body is painted a vibrant red. The text 'MSI40H' is printed in white on the upper part of the side panel, and 'MANITOU' is printed in larger white letters on the lower part. A large, black, treaded tire is visible at the bottom right. The background shows a paved area, a metal gate, and some trees under a clear sky.

MSI40H

MANITOU





Hyster
48357

SAFETY INFORMATION
READ CAREFULLY
CE



SE

HEVY

Lifting
Capacity
2400kg






OPTIMAR

OPTIMAR

MANITOU







MANITOU

MANITOU BF 44158 ANCENIS CEDEX 09
FRANCOIS

MODELE

BF 40

SERIE

1-E2

N° dans la série

247403

Année de fabrication

2007

N° de châssis

1247403

Masses à vide

7075

kg

P.T.R.A.

17075

dan

Puissance ISO/TR

60

kW

Effort de traction

50

dan

Pression des pneumatiques (Bar)

AR

Effort vertical max.
(sur accrochage remorque)

EQUIPEMENT - ATTACHMENT
 ZUBEHOR - EQUIPO - ATTREZZATURA

DTDLA 40N



EFFECTIVE
 ACTUAL
 EFFEKTIVE
 EFFETTIVA
 EFFETTIVA

SUIVANT NORME EN 1726-1 ANNEXE H

618 mm

mm

HAUTEURS EFFECTIVES
 ACTUAL HEIGHT
 EFFEKTIVE HÖHE
 ALTURA EFECTIVA
 ALTEZZA EFFETTIVA

CAPACITES EFFECTIVES
 ACTUAL CAPACITIES
 EFFEKTIVE KAPAZITAT
 CAPACIDAD EFECTIVA
 CAPACITA EFFETTIVA

CAPACITES EFFECTIVES
 ACTUAL CAPACITIES
 EFFEKTIVE KAPAZITAT
 CAPACIDAD EFECTIVA
 CAPACITA EFFETTIVA

Jusqu'à hauteur de levée
 Up for height of
 Bis zur hubhöhe
 Hasta altura de elevación
 Sino ad altezza di sollevamento

mm

kg

kg

Pour hauteur maximale de
 For maximum height of
 Für maximale höhe
 Para altura máxima de
 Per altezza massima di

3700 mm

2X2000 kg

kg

n° 182597

CAPACITE NOMINALE
RATED CAPACITY
NENNKAPAZITÄT
CAPACIDAD NOMINAL
CAPACITÀ NOMINALE

4000

CAPACITES EFFECTIVES
ACTUAL CAPACITIES
EFFEKTIVE KAPAZITÄT
CAPACIDAD EFECTIVA
CAPACITÀ EFFETTIVA

SUIVANT NORME EN 1726-1 (190 1974)

1 - Jusqu'à hauteur de levée

Up to height of

Bis zur hubhöhe

Hasta altura de elevación

Sino ad altezza di sollevamento

mm

2 - Pour hauteur maximale de

For maximum height of

Für maximale Höhe



Para altura máxima de

Per altezza massima di

3700

mm

MAT VERTICAL
VERTICAL MAST
VERTIKALER MAST
MASTIL VERTICAL
RAMPA VERTICALE



EQUIPEMENT
ATTACHMENT
ZUBEHÖR
EQUIPO
ATTREZZATURA

TDLA4GN 1570

TDLA4GN 2000

CAPACITES EFFECTIVES
ACTUAL CAPACITIES
EFFEKTIVE KAPAZITÄT
CAPACIDAD EFECTIVA
CAPACITÀ EFFETTIVA

4000

2500

3650

500

600

1200