





MANIACCESS 200 ATJ

20
MANITOU



MANITOU



MANIACCESS 200 ATJ



MANIACCESS 200 ATJ







C24W

TOP





SAFE MAN SYSTEM

230V
16A  **30 mA**
2 x 2,5 mm² + 1  2,5 mm²



230V
16A
30 mA
2 x 2,5 mm² + 1 2,5 mm²



1300
14.5
15
773

OK
Exit
[Up Arrow] [Down Arrow] [Left Arrow] [Right Arrow] [Home] [Power]

STOP
STOP

Warning label with safety symbols and diagrams.

Hydraulic valve assembly with a blue cap.

Hydraulic manifold with multiple ports and hoses.

Control panel featuring a red emergency stop button with the Schneider Electric logo, a yellow stop button, a key-operated ignition switch, and various indicator lights and switches. The panel includes icons for a battery, a forklift, a sun, a snowflake, a warning sign, a stopwatch, and a manual icon. The number 832640 is visible at the bottom.

Operator's display and control panel. The central LCD screen shows the following information:

- Time: 10:27
- Date: 13/09/19
- Engine speed: 1290 RPM
- Battery voltage: 14.5 V
- Fuel level: 15 L
- Operating hours: 773 h
- Serial number: 00978015

The control panel includes a directional pad with eight arrows, a central red joystick, and several function buttons: OK, a manual icon, Exit, and a warning triangle. A red forklift icon is overlaid on the directional pad.



1200 rpm

14.5

15 L

773 h



99978815





2006/42.EC



MANITOU BF
44158 ANCENIS CEDEX
FRANCE

MODELE
MODEL

200 ATJ

N° dans la série
Serial no.

978015

Année Fabrication
Year of Manufacture

2017

Année du Modèle
Year of Model

2017

Masse à vide
Empty weight

10050

kg

Puissance
Power

34

kW

Tension
Voltage

12

VDC

INTERIEUR
INSIDE

Charge maxi
Max. load

230

kg

EXTERIEUR
OUTSIDE

230

kg

Nb personnes maxi
Max. no of persons

2

2

Equipement
Attachment

70

kg

70

kg

Forces manuelles
Manual forces

40

daN

40

daN

Inclinaison maxi
Max. tilt

5

°

5

°

Vitesse maxi du vent
Max. wind speed

0

m/s

12.5

m/s

Source électrique ext
Ext. electrical source

/

Volts

No 833356



16 254 9 2253


NYLON

OSEI/BEILL











Two electrical outlets with blue and white covers and yellow safety caps. The top cover is labeled "IP 68" and the bottom cover is labeled "IP 68".

NSN 169101 V-058-2099
EF 24005-H0061

als	
Spannung 230V	Typ 517726
Hz 50	IP 44
Ins. 10A	Hersteller
ROF 0.3	Frequenz 50-GHz
Temp. -25...+40 °C	U... 80V
Max. Strom 10A	Hersteller
Max. Leistung 2300W	Hersteller







