



8

CD16P

MANITOU



CD18P

MANITOU

domnick + müller



easykey report protect locator

your appliance guard

CD18P


MANITOU







105<sup>L</sup>






Verkauf  
Vermietung  
Gebrauch  
Service  
Technol

3M









TYPE : V2403-M-EU3  
FAMILY : YKBXL02.4FCD  
APPROVAL NUMBER : e1\*97/680A\*2001/63\*0073\*03  
**Kubota** KUBOTA Corporation

1H222-1

**IMPORTANT ENGINE INFORMATION**



THIS ENGINE MEETS 2006 Tier2 EMISSION REGULATIONS  
FOR U. S. EPA AND CALIFORNIA NONROAD CI ENGINES.

**Kubota** KUBOTA Corporation

MODEL : V2403-M-ES04  
FAMILY : 6KBYL02.4FCD  
OUTPUT : 36.5kW/2600rpm  
VALVE CLEARANCE(COLD) : IN 0.20mm EX 0.20mm  
INJ. TIMING : 18 DEG. BTDC  
THIS ENGINE IS CERTIFIED TO OPERATE ON DIESEL FUEL.  
CONTACT KUBOTA FOR FUEL SETTING.  
ECS : EM  
ENGINE DISP.: 2.4L  
1H371-1



CAPACITE NOMINALE  
RATED CAPACITY  
NENNKAPAZITÄT  
CAPACIDAD NOMINAL  
CAPACITÀ NOMINALE

1800 kg

CAPACITES EFFECTIVES  
ACTUAL CAPACITIES  
EFFEKTIVE KAPAZITÄT  
CAPACIDAD EFECTIVA  
CAPACITÀ EFFETTIVA

SUIVANT NORME EN 1726-1 (ISO 1074)



1 - Jusqu'à hauteur de levée  
Up to height of  
Bis zur hubhöhe  
Hasta altura de elevación  
Sino ad altezza di sollevamento

4000 mm

2 - Pour hauteur maximale de  
For maximum height of  
Für maximale Höhe  
Para altura máxima de  
Per altezza massima di

4500 mm

MAT VERTICAL  
VERTICAL MAST  
VERTIKALER MAST  
MASTIL VERTICAL  
RAMPA VERTICALE



EQUIPEMENT  
ATTACHMENT  
ZUBEHÖR  
EQUIPO  
ATTREZZATURA

55E-25E715  
X50E-55S-05A

CAPACITES EFFECTIVES  
ACTUAL CAPACITIES  
EFFEKTIVE KAPAZITÄT  
CAPACIDAD EFECTIVA  
CAPACITÀ EFFETTIVA



258063

