



MANITOU

MT 1195

COMFORT

74
A22V





MANITOU

MANITOU

EASYS









MANITOU

MANITOU

9-18m

MANITOU

HT 1105



MANITOU

MANITOU

MT 1135

74
AZ2V

5-10m





STV

READY

MT 1135

EASY



MANITOU

MANITOU

FR

MANITOU
1000
1000



easy

COMFORT

STV READY





A row of control buttons including:

- Two blue buttons with arrows pointing up and down.
- Two red buttons with a 'P' and 'AUTO' symbol.
- A button with a light icon.
- A button with a bell icon.
- A button with a triangle pointing up.
- A button with a triangle pointing down.
- A button with a checkmark.
- A button with an 'i' icon.
- A button with a wrench icon.

A VDO radio unit with the following controls:

- VDO
- SRC
- BAND
- SEL
- DISP
- 4 USB
- 2 sec
- 3 sec
- 4 sec
- 5 sec
- 6 sec

A gear shifter with a 'P' icon on top and a 'P' symbol on the side.

A cup holder with the 'MANITOU' logo on the lid. A keychain with a key is attached to the bottom of the cup holder.



LWA
104dB

MANITOU	
MAX. LIFT CAPACITY	5T
MAX. REACH	11.7M
MAX. FORWARD SPEED	1.5KM/H
MAX. TIRE PRESSURE	1.5BAR
MAX. TIRE TEMPERATURE	150°C



