









DPF inside



A row of four black buttons with various icons:

- Yellow button with a fan icon.
- Green button with a four-leaf clover icon.
- Red button with a 'P' and a gear icon.
- Red button with a white triangle icon.

A row of four black buttons:

- Green button with a white 'A' icon.
- Green button with a white 'P' icon.
- Yellow button with a gear icon.
- Black button.



CAPACITE NOMINALE
RATED CAPACITY
NENNKAPAZITÄT
CAPACIDAD NOMINAL
CAPACITÀ NOMINALE

50000 Kg

CAPACITES EFFECTIVES
ACTUAL CAPACITIES
EFFEKTIVE KAPAZITÄT
CAPACIDAD EFECTIVA
CAPACITÀ EFFETTIVA

SUIVANT NORME ISO 3691-1 / 722915-13

1- Jusqu'à hauteur de levée

Up to height of
Bis zur hubhöhe

Hasta altura de elevación
Sino ad altezza di sollevamento

4000 mm


2- Pour hauteur maximale de

For maximum height of
Für maximale Höhe

Para altura máxima de
Per altezza massima di

5500 mm

MAT VERTICAL
VERTICAL MAST
VERTIKALER MAST
MASTIL VERTICAL
RAMPA VERTICALE



EQUIPEMENT
ATTACHMENT
ZUBEHÖR
EQUIPO
ATTREZZATURA

TDLA 50N 1670

CAPACITES EFFECTIVES
ACTUAL CAPACITIES
EFFEKTIVE KAPAZITÄT
CAPACIDAD EFECTIVA
CAPACITÀ EFFETTIVA



n°:52533949







MANITOU
HANDLING YOUR WORLD

damnick
mobile
easykey®

MANITOU

MSO-4

MANITOU

HG-XX 40