


22084258

TERBERG Load Sensing Valve Settings LSV type

Vehicle loading situation	Axle load (kg) axle no.	deflection (mm) Bellow press. (bar)	Inlet press. (bar)	outlet press. (bar)	cylinder press. (bar)
UNLADEN	2500	1		2.3	
...	3000	1.5		2.7	
...	4000	2.5		3.4	
...	5000	4.5			
...	6000	6.5			
LADEN					



Order no.

Printing date

lever length L = deflection F =

KD	ZF	6WG191	6WG211	6WG260
1	1	1		
2	2	1		
3	3	2		
4	3-4-5-6	2-3		
4+KD	(1)-2-3-4-5-6	(1)-2-3		

T24065785



Terberg Benschop B.V.
 Oranje Nassaustraat 10, 3405 XK Benschop, Holland.
 Tel. (+31)(0)348-459211, Fax. (+31)(0)348-451934



TYPE:

CHASSIS NO. (V.I.N.):

YEAR OF MANUFACTURE:

APPROVAL NO./PVA NO.:

G.V.W.:	<input type="text"/>	<input type="text"/>	KG
G.C.W.:	<input type="text"/>	<input type="text"/>	KG
AXLE LOAD 1:	<input type="text"/>	<input type="text"/>	KG
2:	<input type="text"/>	<input type="text"/>	KG
3:	<input type="text"/>	<input type="text"/>	KG
4:	<input type="text"/>	<input type="text"/>	KG
5:	<input type="text"/>	<input type="text"/>	KG
TURNTABLE LOAD:	<input type="text"/>	<input type="text"/>	KG

LEGALLY MAX. PERMITTED MASS

TECHNICALLY MAX. PERMITTED MASS

ATTENTION: TECHNICAL TYRE LOAD CAPACITY ACC. TO TERBERG STANDARD

ORDER NO.: