Linde
H 160

Linde
H 160

Linde
H 160

Linde

Linde

Linde

Linde
DHL

Linde

ELTOR
12.00-24
10.00
SOLID
MARANGONI



EXTREME
WIDE WALL



MADE IN GREAT BRITAIN
BY CUMMINS INC. www.cummins.com
Engine No 2204601O
EPA FEL CARB
Date of Mfg 05APR12 Model QSB6.7
E/C 291134 00
Family
NOx + NMHC
PM
Valve Lash Cold 0.254in 0.508 Exh
Fuel rate at adv HP/kW 89 mm3/st
Timing - TDC
Firing Order
Ad. HP&kW 173 / 129at2200 rpm
EECTRONIC
1 5 3 6 2 4
ECS DDI ECM TC CAC
Idle Speed (rpm) 750
IMPORTANT ENGINE INFORMATION: This engine is certified for use in the European Union market under the flexibility scheme.
WARNING: Injury may result and warranty is voided if the rpm or attitudes exceed published maximum values. Check model and application.

HOURS
VDO



Fireboard
ON
OFF

0009381980
E1X 179 C 0174
MK VS 001 40 12 1401



04:07
2000
1000
0
RPM
0
km/h
1/2
AUTO
A
B
C
D
F1
F2
F3
F4
F5

Linde Material Handling D - Aschaffenburg
Type-Modèle-Typ / Serial no.- No. de série-Serien-Nr. / year-année-Baujahr
Rated capacity
Capacité nominale
Nenn-Tragfähigkeit
16000 kg
Unladen mass
Masse à vide
Leergewicht
Battery voltage
Tension batterie
Batteriespannung
Battery mass max
Masse batterie
Batteriegew. min
Rated drive power
Puissance max.nom
Nenn-Antriebsleist.
Ballast weight
Poids additionnel
Zusatzgewicht
Operating instructions
voir Mode d'emploi
siehe Betriebsanleitung
Linde
(kg)
mm
to 6000mm
6500mm
7000mm
8500mm
x(mm)
TRUCK NO. OF 150
WITH ENGINE SERIAL NO.
WITH TYPE APPROVAL e11*97/68A*2004/26*0232*00